


**Safety Data Sheet**  
Table Lube - 794-8011-55

**SECTION I - IDENTIFICATION**

		Irontite Products Inc. 2525 18th Street SW, Suite D Cedar Rapids, IA 52404 319-377-9421 800-553-5953
<b>Product Number</b>	794-8011-55	<b>Rock Valley Oil &amp; Chemical</b>
<b>Product Name</b>	Waylube 220, Table Lube	1911 Windsor Road
<b>Chemical Family</b>	Industrial Lubricant	Rockford, IL 61111
<b>CAS Number</b>	Multiple	(815) 654-2400
<b>Date Prepared</b>	11/16/2016	(800)535-5053 Outside US: :..... (352) 323-3500
<b>Revision Number</b>	11/16/2016	
<b>Recommended Use</b>	Industrial Use Only	

**SECTION II - HAZARDOUS IDENTIFICATION**

**GHS CLASSIFICATION:**

**Classification**

Not a Hazardous Substance or Mixture

No Hazards

**GHS LABEL:**

**Hazard Statements**

NC Not a Hazardous Substance or Mixture

**Safety Data Sheet**  
Table Lube - 794-8011-55

**Precautionary Statements**

NC                      Not a Hazardous Substance or Mixture

**SECTION III - COMPOSITION/INFORMATION ON INGREDIENTS**

Component Name	CAS #	Component%	OSHA PEL	ACGIH TLV
Friction Modifier	Mixture	1 - 5	Not Established	Not Established
Naphthenic Oil	64741-96-4	70 - 100	5 mg/m <sup>3</sup>	5 mg/m <sup>3</sup>

**SECTION IV - FIRST AID MEASURES**

**Contact with eyes:** Flush with water for 15 minutes. Seek medical attention if irritation persists.

**Skin contact:** Wash exposed areas with water and mild soap. Remove contaminated clothing and launder before reuse. If irritations persist, seek immediate medical attention.

**Inhalation:** Remove victim to fresh air. Administer oxygen or artificial respiration if breathing is affected or stopped. Seek immediate medical attention.

**Ingestion:** If swallowed. Do not induce vomiting. Seek immediate medical attention.

**SECTION V - FIREFIGHTING MEASURES**

**Suitable Extinguishing Media:** Water fog, foam, CO<sub>2</sub>, dry chemical.

**Special Fire Fighting Procedures** Use self-contained breathing apparatus and full bunker gear in fire areas. Evacuate all unprotected personnel from area. Keep containers cool with water fog to minimize swelling taking care not to spread flames with water used for cooling.

**Unusual Fire Fighting Hazards:** No unusual fire hazards known. Combustible liquid.

**Safety Data Sheet**  
Table Lube - 794-8011-55

**SECTION VI - ACCIDENTAL RELEASE MEASURES**

**Personal Precautions:** Keep all sources of ignition and hot metal surfaces away from spill or release.

**Environmental Precautions:** Contain spill if it can be done with minimal risk. Prevent liquid from entering drains, sewers or waterways. Notify proper authorities.

**Methods for Cleaning Up:** Using only non-sparking tools and explosion proof equipment, collect spill on absorbent material and put into approved container.

**SECTION VII - HANDLING AND STORAGE**

**Handling and Storage:**

- "Empty" containers retain residue and/or vapor and may be dangerous. Do not cut, weld, braze solder, drill, grind or expose such containers to heat, flames, sparks, or other ignition sources.
- NFPA Class III B storage.

**SECTION VIII - PRECAUTIONS TO CONTROL EXPOSURE / PERSONAL PROTECTION**

**EXPOSURE LIMITS:**

Component Name	CAS #	OSHA PEL	ACGIH TLV
Friction Modifier	Mixture	Not Established	Not Established
Naphthenic Oil	64741-96-4	5 mg/m <sup>3</sup>	5 mg/m <sup>3</sup>

**Engineering Controls:** Adequate local or mechanical to reduce vapor or mist to below the PEL or TLV.

**Monitoring:** Follow accepted work and hygiene practices for handling combustible product.

**Personal Protective Equipment (PPE)**

**Eye Protection:** Goggles or approved OSHA device with side shields; do not wear contact lenses when handling this product.

**Skin Protection:** Impervious solvent resistant gloves. Impervious apron and work boots recommend where splashing may occur.

**Respiratory Protection:** Use the proper respirator in areas where the chemical exposure is above the OSHA PEL or ACGIH TLV.

**SECTION IX - PHYSICAL AND CHEMICAL PROPERTIES**

**Safety Data Sheet**  
Table Lube - 794-8011-55

<b>Appearance</b>	Amber Liquid
<b>Odor</b>	Mild Petroleum Odor
<b>pH@25°C</b>	N/A
<b>Melting/Freezing Point</b>	N/Av
<b>Flashpoint</b>	400°F (COC)
<b>Specific Gravity</b>	0.9341
<b>Solubility</b>	Negligible
<b>Auto-Ignition Temperature</b>	N/Av
<b>Decomposition Temperature</b>	N/Av
<b>VOC Content</b>	0
<b>Odor Threshold</b>	N/Av
<b>Boiling Range</b>	500-685°F
<b>Evaporation Point</b>	N/Av
<b>Flammable Limits - Upper</b>	N/Av
<b>Flammable Limits - Lower</b>	N/Av
<b>Vapor Pressure</b>	0 mm Hg @ 68°F
<b>Vapor Density (Air=1)</b>	>1
<b>Viscosity</b>	220 cSt @ 40 C

**SECTION X - STABILITY AND REACTIVITY**

**Stability:** Stable

**Conditions to Avoid:** Extreme heat and ignition sources.

**Hazardous Decomposition/Byproducts:** CO, CO<sub>2</sub>, and various hydrocarbons under combustion conditions.

**Hazardous Polymerization:** Will not occur.

**Polymerization Conditions to Avoid:** None

**Incompatibilities:** Strong oxidizers

**Safety Data Sheet**  
Table Lube - 794-8011-55

**SECTION XI - TOXICOLOGICAL INFORMATION**

**Likely Route of Exposure:** Contact and inhalation; ingestion possible.

**Inhalation:** Low to moderate degree of toxicity by inhalation.

**Eye Contact:** May cause eye irritation including stinging, watering and redness which may result in corneal injury.

**Skin Contact:** Contact may cause mild skin irritation including redness, burning and drying/cracking of the skin. No harmful effects from skin adsorption are expected.

**Ingestion:** Low degree of toxicity by ingestion.

**Toxicity:**

Component Name	LD50	LC50
Friction Modifier	Not Established	Not Established
Naphthenic Oil	Not Established	Not Established

Reproductive Effects	Teratogenicity	Mutagenicity	Embryotoxicity	Sensitization to Product	Synergistic Products
Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable

**SECTION XII - ECOLOGICAL INFORMATION**

**Ecotoxicity:** Information not available.

**Mobility:** Information not available.

**Degradability:** Information not available.

**BioAccumulation:** Information not available.

**SECTION XIII - WASTE DISPOSAL CONSIDERATIONS**

Follow Federal, state, and local regulations.

**Safety Data Sheet**  
Table Lube - 794-8011-55

**SECTION XIV - TRANSPORT INFORMATION**

**DOT SHIPPING INFORMATION**

**Proper Shipping Name:** Not Regulated

**Contains:**

**Hazard Class and Label:**

**Identification Number:**

**Packaging Group:**

**Other Shipping Info:**

**SECTION XV - REGULATORY INFORMATION**

**TSCA STATUS:**..... The components of this product are listed on the TSCA Inventory

**SARA TITLE III SECTION 302/304 EXTREMELY HAZARDOUS SUBSTANCE:**

No chemicals in this material are subject to the reporting requirements.

**SARA TITLE III SECTION 311/312 HAZARD CATEGORIZATION:**

Acute	Chronic	Fire	Pressure	Reactive
N/A	N/A	N/A	N/A	N/A

**SARA TITLE III SECTION 313 SUPPLIER INFORMATION:**

No chemicals in this material are subject to the reporting requirements.

**CERCLA SECTION 102(a) HAZARDOUS SUBSTANCE:**

No chemicals in this material are subject to the reporting requirements.

**CALIFORNIA PROPOSITION 65:**

No chemicals in this material are subject to the reporting requirements.

**SECTION XVI - OTHER INFORMATION**

**HMIS Health:** ..... 1

**HMIS Flammability:** ..... 1

**HMIS Reactivity:** ..... 0

**Additional:**