

SECTION 1 Identification

1.1. GHS Product identifier

Product form : Mixture
Product name : Ceramic Motor Seal
Product code : 468-9122-16

1.2. Other means of identification

No additional information available

1.3. Recommended use of the chemical and restrictions on use

Use of the substance/mixture : Sealant
Recommended use : Intended for general public

1.4. Supplier's details

Manufacturer

Ironite Products Inc.
2525 18th Street SW, Suite D
Cedar Rapids, Iowa 52404
T (319) 377-9421 or 1-800-553-5953
service@irontite.com

Distributor

Goss Industries Inc.
7925 Goreway Drive
Brampton, Ontario, L6T 5J7
Canada
T 905-795-9830

1.5. Emergency phone number

Emergency number : 1-800-553-5953 8am-4pm CST(GMT - 6)

SECTION 2 Hazard identification

2.1. Classification of the substance or mixture

Classification (GHS CA)

Skin corrosion/irritation, Category 2	H315	Causes skin irritation
Serious eye damage/eye irritation, Category 1	H318	Causes serious eye damage

2.2. GHS label elements, including precautionary statements

GHS-CA labelling

Hazard pictograms (GHS-CA) :



Signal word (GHS CA) : Danger

Hazard statements (GHS-CA) : H315 - Causes skin irritation
H318 - Causes serious eye damage

Precautionary statements (GHS-CA) : P101 - If medical advice is needed, have product container or label at hand.
P102 - Keep out of reach of children.
P264 - Wash hands, forearms and face thoroughly after handling.
P280 - Wear protective gloves, protective clothing, eye protection, face protection, and hearing protection.
P302+P352 - IF ON SKIN: Wash with plenty of water.
P362+P364 - Take off contaminated clothing and wash it before reuse.
P332+P313 - If skin irritation occurs: Get medical advice or attention.

Ceramic Motor Seal

Safety Data Sheet

According to the Hazardous Products Regulations (HPR) WHMIS 2022

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 - Immediately call a POISON CENTER or a doctor.

2.3. Other hazards which do not result in classification

No additional information available

SECTION 3 Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Chemical name / Synonyms	Product identifier	% Weight
Sodium silicate	Silicic acid, sodium salt / SODIUM SILICATE / Sodium silicates / Sodium orthosilicate	CAS-No.: 1344-09-8	30 - 60

Comments : *Chemical name, CAS number and/or exact concentration have been withheld as a trade secret

SECTION 4 First-aid measures

4.1. Description of necessary first-aid measures

First-aid measures after inhalation : If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.

First-aid measures after skin contact : IF ON SKIN: Wash with plenty of water. Take off contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention.

First-aid measures after eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

First-aid measures after ingestion : Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. Get medical advice/attention if you feel unwell.

4.2. Most important symptoms/effects, acute and delayed

Symptoms/effects after inhalation : May cause irritation to the respiratory tract.

Symptoms/effects after skin contact : Causes skin irritation. Symptoms may include redness, drying, defatting and cracking of the skin.

Symptoms/effects after eye contact : Causes serious eye damage. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva. May cause burns.

Symptoms/effects after ingestion : May be harmful if swallowed. May cause gastrointestinal irritation, nausea, vomiting and diarrhea.

4.3. Indication of immediate medical attention and special treatment needed, if necessary

Other medical advice or treatment : Symptoms may be delayed. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

SECTION 5 Fire-fighting measures

5.1. Suitable extinguishing media

Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire.

Unsuitable extinguishing media : None known.

Ceramic Motor Seal

Safety Data Sheet

According to the Hazardous Products Regulations (HPR) WHMIS 2022

5.2. Specific hazards arising from the chemical

Fire hazard : Products of combustion may include, and are not limited to: oxides of carbon. Oxides of sulfur. Metal oxides. Irritating vapours.

5.3. Special protective actions for fire-fighters

Protection during firefighting : Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA).

SECTION 6 Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.

Environmental precautions : Prevent entry to sewers and public waters.

6.2. Methods and materials for containment and cleaning up

For containment : Absorb and/or contain spill with inert material (sand, vermiculite or other appropriate material), then place in suitable container. Do not flush into surface water or sewer system. Wear recommended personal protective equipment.

Methods for cleaning up : Sweep or shovel spills into appropriate container for disposal. Provide ventilation.

For further information refer to section 8: "Exposure controls/personal protection"

SECTION 7 Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Avoid breathing dust/fume/gas/mist/vapours/spray. Do not swallow. Handle and open container with care. When using do not eat, drink or smoke. Do not get in eyes, on skin, or on clothing. Do not mix with other chemicals. Use only in well-ventilated areas.

Hygiene measures : Take off contaminated clothing and wash it before reuse. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep out of the reach of children. Keep container tightly closed. Store in a dry, cool and well-ventilated place. Do not store in unlabelled containers.

Specific end uses : Not available.

SECTION 8 Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station. Provide readily accessible eye wash stations and safety showers.

Environmental exposure controls : Avoid release to the environment.

Ceramic Motor Seal

Safety Data Sheet

According to the Hazardous Products Regulations (HPR) WHMIS 2022

8.3. Individual protection measures, such as personal protective equipment (PPE)

Hand protection:

Wear suitable gloves resistant to chemical penetration. Consult glove manufacturer's product information on material suitability and material thickness.

Eye protection:

Wear eye/face protection

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. SDSs cannot provide detailed and complete respiratory protection guidelines. Selection of respiratory protection must be done by a qualified person who has assessed the work environment.

Other information:

Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product.

SECTION 9 Physical and chemical properties

9.1. Basic physical and chemical properties

Physical state	: Liquid
Appearance	: No data available
Colour	: Grey.
Odour	: Odourless
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Relative evaporation rate (ether=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not flammable
Vapour pressure	: No data available
Relative vapour density at 20°C	: No data available
Relative density	: 1.4
Solubility	: Soluble in water.
Partition coefficient n-octanol/water	: No data available
Viscosity, kinematic	: No data available
Explosive limits	: No data available
Particle characteristics	: No data available

Sodium silicate (1344-09-8)

Boiling point	> 1200 °C (at 1013 hPa)
Particle characteristics	No data available

Ceramic Motor Seal

Safety Data Sheet

According to the Hazardous Products Regulations (HPR) WHMIS 2022

9.2. Data relevant with regard to physical hazard classes (supplemental)

VOC content : 0 % (ww)

SECTION 10 Stability and reactivity

Reactivity : No dangerous reactions known under normal conditions of use.
Chemical stability : Stable under normal conditions.
Possibility of hazardous reactions : No dangerous reactions known under normal conditions of use.
Conditions to avoid : Heat. Incompatible materials.
Incompatible materials : Antifreeze. Oxidizing materials.
Hazardous decomposition products : May include, and are not limited to: oxides of carbon. Oxides of sulfur. Metal oxides.
Hardening time: : No additional information available

SECTION 11 Toxicological information

11.1. Likely routes of exposure

Acute toxicity (oral) : Not classified.
Acute toxicity (dermal) : Not classified.
Acute toxicity (inhalation) : Not classified.

Sodium silicate (1344-09-8)	
LD50 oral rat	1960 mg/kg (Source: NLM_CIP)
ATE CA (oral)	1960 mg/kg bodyweight

Skin corrosion/irritation : Causes skin irritation.
Serious eye damage/irritation : Causes serious eye damage.
Respiratory or skin sensitization : Not classified.
Germ cell mutagenicity : Not classified.
Carcinogenicity : Not classified.
Reproductive toxicity : Not classified.
STOT-single exposure : Not classified.
STOT-repeated exposure : Not classified.
Aspiration hazard : Not classified.
Symptoms/effects after inhalation : May cause irritation to the respiratory tract.
Symptoms/effects after skin contact : Causes skin irritation. Symptoms may include redness, drying, defatting and cracking of the skin.
Symptoms/effects after eye contact : Causes serious eye damage. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva. May cause burns.
Symptoms/effects after ingestion : May be harmful if swallowed. May cause gastrointestinal irritation, nausea, vomiting and diarrhea.
Other information : Likely routes of exposure: ingestion, inhalation, skin and eye.

SECTION 12 Ecological information

12.1. Toxicity

Ecology - general : May cause long-term adverse effects in the aquatic environment.
Hazardous to the aquatic environment, short-term (acute) : Not classified.
Hazardous to the aquatic environment, long-term (chronic) : Not classified.

Sodium silicate (1344-09-8)	
LC50 - Fish [1]	301 – 478 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus Source: IUCLID)

Ceramic Motor Seal

Safety Data Sheet

According to the Hazardous Products Regulations (HPR) WHMIS 2022

Sodium silicate (1344-09-8)	
LC50 - Fish [2]	3185 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [semi-static] Source: IUCLID)

12.2. Persistence and degradability

Ceramic Motor Seal	
Persistence and degradability	Not established.

Sodium silicate (1344-09-8)	
Persistence and degradability	Rapidly degradable

12.3. Bioaccumulative potential

Ceramic Motor Seal	
Bioaccumulative potential	Not established.

Sodium silicate (1344-09-8)	
BCF - Fish [1]	(no bioaccumulation expected)

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Ozone	: Not classified.
Other information	: No other effects known.
Fluorinated greenhouse gases	: No

SECTION 13 Disposal considerations

Product/Packaging disposal recommendations	: Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. Recycle empty containers where allowed.
Additional information	: Do not reuse container. Empty containers may contain residues which are hazardous.

SECTION 14 Transport information

In accordance with TDG

14.1. UN Number

UN-No. (TDG)	: Not regulated
--------------	-----------------

14.2. UN Proper Shipping Name

Proper Shipping Name (TDG)	: Not regulated
----------------------------	-----------------

14.3. Transport hazard class(es)

TDG Transport hazard class(es) (TDG)	: Not regulated
------------------------------------------------	-----------------

14.4. Packing group, if applicable

Packing group (TDG)	: Not regulated
---------------------	-----------------

Ceramic Motor Seal

Safety Data Sheet

According to the Hazardous Products Regulations (HPR) WHMIS 2022

14.5. Environmental hazards

Other information : No supplementary information available.

14.6. Special precautions for user

TDG

Not regulated

14.7. Transport in bulk according to Annex II of MARPOL 73/78⁹ and the IBC Code¹⁰

Not applicable

SECTION 15 Regulatory information

All components of this product are listed, or excluded from listing, on the Canadian DSL (Domestic Substances List) and NDSL (Non-Domestic Substances List) inventories.

SECTION 16 Other Information

Issue date : 09-05-2018

Revision date : 02-20-2025

Other information : None.

Prepared by : Nexreg Compliance Inc.
www.Nexreg.com



Full text of hazard classes and H-statements:

H315	Causes skin irritation
H318	Causes serious eye damage

Indication of changes:

Section	Changed item	Comments	Version
SDS update	SDS update	Modified	V2.0

Safety Data Sheet (SDS), Canada - Nexreg 2025

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.