

Safety Data Sheet
468-9910-08 - "EA" Lube SDS

SECTION I - IDENTIFICATION



Irontite Product Inc
2525 18th St., SW, Suite D
Cedar Rapids, Iowa 52404
(319) 377-9421
(800) 553-5953 Outside US. (319) 377-9421

Product Number SUNEX428, 468-9910-08
Product Name Sunex 428 Tapping Lube, Irontite "EA" Lube
Chemical Family Cutting Oil
CAS Number Multiple
Date Prepared 6/23/2016
Revision Number 6/23/2016
Recommended Use Industrial Use Only

SECTION II - HAZARDOUS IDENTIFICATION

GHS CLASSIFICATION:

Classification

Not a Hazardous Substance or Mixture

No Hazards

GHS LABEL:

Hazard Statements

NC Not a Hazardous Substance or Mixture

Precautionary Statements

NC Not a Hazardous Substance or Mixture

SECTION III - COMPOSITION/INFORMATION ON INGREDIENTS

Component Name	CAS #	Component%	OSHA PEL	ACGIH TLV
Chlorinated paraffins	61788-76-9	60 - 80	Not Established	Not Established
Distillates (Petroleum), Hydrotreated Middle	64742-46-7	20 - 40	5 mg/m ³ (Oil Mist)	5 mg/m ³ (Oil Mist)

SECTION IV - FIRST AID MEASURES

Contact with eyes: Flush with water for 15 minutes. Seek medical attention if irritation persists.

Skin contact: Wash exposed areas with water and mild soap. Remove contaminated clothing and launder before reuse. If irritations persist, seek immediate medical attention.

Inhalation: Remove victim to fresh air. Administer oxygen or artificial respiration if breathing is affected or stopped. Seek immediate medical attention.

Ingestion: If swallowed. Do not induce vomiting. Seek immediate medical attention.

SECTION V - FIREFIGHTING MEASURES

Suitable Extinguishing Media: Water fog, foam, CO₂, dry chemical.

Special Fire Fighting Procedures Use self-contained breathing apparatus and full bunker gear in fire areas. Evacuate all unprotected personnel from area. Keep containers cool with water fog to minimize swelling taking care not to spread flames with water used for cooling.

Unusual Fire Fighting Hazards: No unusual fire hazards known. Combustible liquid.

SECTION VI - ACCIDENTAL RELEASE MEASURES

Personal Precautions: Keep all sources of ignition and hot metal surfaces away from spill or release.

Environmental Precautions: Contain spill if it can be done with minimal risk. Prevent liquid from entering drains, sewers or waterways. Notify proper authorities.

Methods for Cleaning Up: Using only non-sparking tools and explosion proof equipment, collect spill on absorbent material and put into approved container.

SECTION VII - HANDLING AND STORAGE

Handling and Storage:

- Avoid prolonged breathing of mist or vapor. Wash thoroughly after handling.
- NFPA Class III B storage.

SECTION VIII - PRECAUTIONS TO CONTROL EXPOSURE / PERSONAL PROTECTION

EXPOSURE LIMITS:

Component Name	CAS #	OSHA PEL	ACGIH TLV
Chlorinated paraffins	61788-76-9	Not Established	Not Established
Distillates (Petroleum), Hydrotreated Middle	64742-46-7	5 mg/m ³ (Oil Mist)	5 mg/m ³ (Oil Mist)

Engineering Controls: Adequate local or mechanical to reduce vapor or mist to below the PEL or TLV.

Monitoring: Follow accepted work and hygiene practices for handling combustible product.

Personal Protective Equipment (PPE)

Eye Protection: Goggles or approved OSHA device with side shields; do not wear contact lenses when handling this product.

Skin Protection: Impervious solvent resistant gloves. Impervious apron and work boots recommend where splashing may occur.

Respiratory Protection: Use the proper respirator in areas where the chemical exposure is above the OSHA PEL or ACGIH TLV.

SECTION IX - PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Light Amber Liquid
Odor	Bland Petroleum
pH@25°C	N/App
Melting/Freezing Point	N/A
Flashpoint	310°F COC
Specific Gravity	1.1536
Solubility	Negligible
Auto-Ignition Temperature	N/Av
Decomposition Temperature	N/Av
VOC Content	N/Av
Odor Threshold	N/Av
Boiling Range	N/Av
Evaporation Point	N/Av
Flammable Limits - Upper	N/Av
Flammable Limits - Lower	N/Av
Vapor Pressure	N/A
Vapor Density (Air=1)	>1
Viscosity	27 cSt @ 40 C

SECTION X - STABILITY AND REACTIVITY

Stability:	Stable
Conditions to Avoid:	None
Hazardous Decomposition/Byproducts:	CO and CO2
Hazardous Polymerization:	Will not occur.
Polymerization Conditions to Avoid:	None
Incompatibilities:	Strong oxidizers

SECTION XI - TOXICOLOGICAL INFORMATION

Likely Route of Exposure: Contact and inhalation; ingestion possible.

Inhalation: Breathing spray or mists can be harmful.

Eye Contact: May Causes eye irritation including stinging, watering and redness which may result in corneal injury.

Skin Contact: Contact may cause mild skin irritation including redness, burning and drying/cracking of the skin.

Ingestion: May cause gastrointestinal irritation with nausea, vomiting and diarrhea.

Toxicity:

Component Name	LD50	LC50
Chlorinated paraffins	Not Established	Not Established
Distillates (Petroleum), Hydrotreated Middle	Oral - rat - > 5000 mg/kg ; Dermal - rabbit - > 2000 mg/kg	Not Established

Reproductive Effects	Teratogenicity	Mutagenicity	Embryotoxicity	Sensitization to Product	Synergistic Products
Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable

SECTION XII - ECOLOGICAL INFORMATION

Ecotoxicity: Information not available.

Mobility: Information not available.

Degradability: Information not available.

BioAccumulation: Information not available.

SECTION XIII - WASTE DISPOSAL CONSIDERATIONS

Follow Federal, state, and local regulations.

SECTION XIV - TRANSPORT INFORMATION

DOT SHIPPING INFORMATION

Proper Shipping Name: Not Regulated

Contains:

Hazard Class and Label:

Identification Number:

Packaging Group:

Other Shipping Info:

SECTION XV - REGULATORY INFORMATION

TSCA STATUS:..... The components of this product are listed on the TSCA Inventory

SARA TITLE III SECTION 302/304 EXTREMELY HAZARDOUS SUBSTANCE:

No chemicals in this material are subject to the reporting requirements.

SARA TITLE III SECTION 311/312 HAZARD CATEGORIZATION:

Acute	Chronic	Fire	Pressure	Reactive
N/A	N/A	N/A	N/A	N/A

SARA TITLE III SECTION 313 SUPPLIER INFORMATION:

No chemicals in this material are subject to the reporting requirements.

CERCLA SECTION 102(a) HAZARDOUS SUBSTANCE:

No chemicals in this material are subject to the reporting requirements.

CALIFORNIA PROPOSITION 65:

No chemicals in this material are subject to the reporting requirements.

SECTION XVI - OTHER INFORMATION

HMIS Health: 1

HMIS Flammability: 1

HMIS Reactivity: 0

Additional: