

### SECTION 1 Identification

#### 1.1. GHS Product identifier

Product form : Mixture  
Product name : All Weather Seal  
Product code : 468-9132-16

#### 1.2. Other means of identification

No additional information available

#### 1.3. Recommended use of the chemical and restrictions on use

Use of the substance/mixture : Sealant  
Recommended use : Intended for general public

#### 1.4. Supplier's details

##### Supplier

Ironite Products Inc.  
2525 18th Street SW, Suite D  
Cedar Rapids, Iowa 52404  
T (319) 377-9421 or 1-800-553-5953  
[service@ironite.com](mailto:service@ironite.com)

##### Distributor

Goss Industries Inc.  
7925 Goreway Drive  
Brampton, Ontario Canada L6T5J7  
T 905-795-9830

#### 1.5. Emergency phone number

Emergency number : 1-800-553-5953 8am-4pm CST(GMT - 6)

### SECTION 2 Hazard identification

#### 2.1. Classification of the substance or mixture

##### Classification (GHS CA)

|   |      |   |
|---|------|---|
| Skin corrosion/irritation, Category 1                       | H314 | Causes severe skin burns and eye damage       |
| Serious eye damage/eye irritation, Category 1               | H318 | Causes serious eye damage                     |
| Reproductive toxicity, Category 1B                          | H360 | May damage fertility or the unborn child      |
| Specific target organ toxicity, Single exposure, Category 1 | H370 | Causes damage to organs.                      |
| Health hazards not otherwise classified, Category 1         |      | Causes severe damage to the respiratory tract |

#### 2.2. GHS label elements, including precautionary statements

##### GHS-CA labelling

Hazard pictograms (GHS-CA) :



Signal word (GHS CA) : Danger

Hazard statements (GHS-CA) : H314 - Causes severe skin burns and eye damage  
H360 - May damage fertility or the unborn child  
H370 - Causes damage to organs.  
HHNOC - Causes severe damage to the respiratory tract

Precautionary statements (GHS-CA) : P101 - If medical advice is needed, have product container or label at hand.  
P102 - Keep out of reach of children.  
P201 - Obtain special instructions before use.

# All Weather Seal

## Safety Data Sheet

According to the Hazardous Products Regulations (HPR) WHMIS 2022

P202 - Do not handle until all safety precautions have been read and understood.  
P260 - Do not breathe dust, fume, gas, mist, vapours, spray.  
P264 - Wash hands, forearms and face thoroughly after handling.  
P270 - Do not eat, drink or smoke when using this product.  
P280 - Wear protective gloves, protective clothing, eye protection, face protection, and hearing protection.  
P308+P311 - IF exposed or concerned: Call a POISON CENTER or a doctor.  
P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting.  
P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water .  
P363 - Wash contaminated clothing before reuse.  
P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 - Immediately call a POISON CENTER or a doctor.  
P405 - Store locked up.  
P501 - Dispose of contents and/or container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulations.

### 2.3. Other hazards which do not result in classification

No additional information available

## SECTION 3 Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

| Name  | Chemical name / Synonyms  | Product identifier | %Weight   |
|---|---|--------------------|-----------|
| Borax (B <sub>4</sub> Na <sub>2</sub> O <sub>7</sub> ·10H <sub>2</sub> O) | Borax / Borax (Na <sub>2</sub> (B <sub>4</sub> O <sub>7</sub> ) <sub>10</sub> H <sub>2</sub> O) / Sodium tetraborate decahydrate / Disodium tetraborate, decahydrate / Sodium tetraborate, decahydrate / Disodium tetraborate decahydrate / Sodium borate decahydrate / Sodium borate, decahydrate / SODIUM BORATE DECAHYDRATE / Sodium borate / Borax decahydrate / Disodium tetraborate, anhydrous / SODIUM BORATE / Borate, tetrasodium salt | CAS-No.: 1303-96-4 | 7 – 13    |
| Sodium aluminate (NaAlO <sub>2</sub> )                                    | Aluminate (AlO <sub>2</sub> <sup>-</sup> ), sodium / Aluminium sodium dioxide / Sodium aluminate / Aluminate, sodium / Sodium aluminate solution / Sodium aluminum oxide / Aluminum sodium dioxide / Aluminate (AlO <sub>2</sub> <sup>-</sup> ), sodium (1:1) / SODIUM ALUMINATE  | CAS-No.: 1302-42-7 | 5 – 10    |
| Ethylene glycol   | 1,2-Dihydroxyethane / Ethane-1,2-diol / 1,2-Ethanediol / Ethanediol / GLYCOL / Glycol / Monoethylene glycol   | CAS-No.: 107-21-1  | 1 – 5     |
| Sodium hydroxide  | Caustic soda / Sodium hydroxide (Na(OH)) / SODIUM HYDROXIDE / LYE / Lye solution  | CAS-No.: 1310-73-2 | 0.5 – 1.5 |

\*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret

# All Weather Seal

## Safety Data Sheet

According to the Hazardous Products Regulations (HPR) WHMIS 2022

### SECTION 4 First-aid measures

#### 4.1. Description of necessary first-aid measures

|                                       |   |
|---------------------------------------|---|
| First-aid measures after inhalation   | : IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor.   |
| First-aid measures after skin contact | : IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. Immediately call a POISON CENTER/doctor. |
| First-aid measures after eye contact  | : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.             |
| First-aid measures after ingestion    | : IF SWALLOWED: rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor. Never give anything by mouth to an unconscious person.                                 |
| First-aid measures general            | : IF exposed or concerned: Call a POISON CENTER/doctor.   |

#### 4.2. Most important symptoms/effects, acute and delayed

|                                     |   |
|-------------------------------------|---|
| Symptoms/effects                    | : Causes damage to organs.  |
| Symptoms/effects after inhalation   | : Causes severe damage to the respiratory tract.  |
| Symptoms/effects after skin contact | : Causes severe skin burns. Symptoms may include redness, pain, blisters.   |
| Symptoms/effects after eye contact  | : Causes serious eye damage. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva. May cause burns.                    |
| Symptoms/effects after ingestion    | : May be harmful if swallowed. May cause gastrointestinal irritation, nausea, vomiting and diarrhea. May cause burns or irritation of the linings of the mouth, throat, and gastrointestinal tract. |
| Chronic symptoms                    | : May damage fertility or the unborn child.   |

#### 4.3. Indication of immediate medical attention and special treatment needed, if necessary

|                                   |  |
|-----------------------------------|--|
| Other medical advice or treatment | : Symptoms may be delayed. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). |
|-----------------------------------|--|

### SECTION 5 Fire-fighting measures

#### 5.1. Suitable extinguishing media

|                                |   |
|--------------------------------|---|
| Suitable extinguishing media   | : Use extinguishing media appropriate for surrounding fire. |
| Unsuitable extinguishing media | : Do not use water jet.                                     |

#### 5.2. Specific hazards arising from the chemical

|                  |  |
|------------------|--|
| Fire hazard      | : No fire hazard. Products of combustion may include, and are not limited to: oxides of carbon. Metal oxides. Toxic fumes may be released. |
| Explosion hazard | : No direct explosion hazard.  |

#### 5.3. Special protective actions for fire-fighters

|                                |  |
|--------------------------------|--|
| Protection during firefighting | : Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA). |
|--------------------------------|--|

### SECTION 6 Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

|                           |  |
|---------------------------|--|
| General measures          | : Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel. |
| Environmental precautions | : Avoid release to the environment. Prevent entry to sewers and public waters.   |

# All Weather Seal

## Safety Data Sheet

According to the Hazardous Products Regulations (HPR) WHMIS 2022

### 6.2. Methods and materials for containment and cleaning up

- For containment : Stop leak if safe to do so. Contain and/or absorb spill with inert material (e.g. sand, vermiculite), then place in a suitable container. Do not flush to sewer or allow to enter waterways. Use appropriate Personal Protective Equipment (PPE).
- Methods for cleaning up : Sweep or shovel spills into appropriate container for disposal. Store away from other materials. Provide ventilation.

For further information refer to section 13, For further information refer to section 8: "Exposure controls/personal protection"

## SECTION 7 Handling and storage

### 7.1. Precautions for safe handling

- Precautions for safe handling : Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe dust, fume, gas, mist, spray, vapours. Do not get in eyes, on skin, or on clothing. Do not swallow. Handle and open container with care. When using do not eat, drink or smoke. Ensure good ventilation of the work station. Avoid contact during pregnancy/while nursing.
- Hygiene measures : Take off immediately all contaminated clothing and wash it before reuse. Wash hands, forearms and face thoroughly after handling.

### 7.2. Conditions for safe storage, including any incompatibilities

- Storage conditions : Keep out of reach of children. Keep container tightly closed. Store in a dry, cool and well-ventilated place. Store locked up.
- Incompatible materials : Oxidizing materials. Sources of ignition. Direct sunlight. Strong bases. Strong acids.

## SECTION 8 Exposure controls/personal protection

### 8.1. Control parameters

| <b>Borax (B<sub>4</sub>Na<sub>2</sub>O<sub>7</sub>·10H<sub>2</sub>O) (1303-96-4)</b> |  |
|--|--|
| <b>USA - ACGIH - Occupational Exposure Limits</b>                                    |  |
| ACGIH OEL TWA  | 2 mg/m <sup>3</sup> (inhalable particulate matter (Borate compounds, inorganic)) |
| ACGIH OEL STEL   | 6 mg/m <sup>3</sup> (inhalable particulate matter (Borate compounds, inorganic)) |
| ACGIH chemical category  | Not Classifiable as a Human Carcinogen   |
| <b>Ethylene glycol (107-21-1)</b>  |  |
| <b>USA - ACGIH - Occupational Exposure Limits</b>                                    |  |
| Local name   | Ethylene glycol  |
| ACGIH OEL TWA  | 25 ppm (vapor fraction)  |
| ACGIH OEL STEL   | 10 mg/m <sup>3</sup> (inhalable particulate matter, aerosol only)                |
| ACGIH OEL STEL   | 50 ppm (vapor fraction)  |
| Remark (ACGIH)   | TLV® Basis: URT irr. Notations: A4 (Not classifiable as a Human Carcinogen)      |
| ACGIH chemical category  | Not Classifiable as a Human Carcinogen   |
| Regulatory reference   | ACGIH 2024   |

# All Weather Seal

## Safety Data Sheet

According to the Hazardous Products Regulations (HPR) WHMIS 2022

| Sodium hydroxide (1310-73-2)               |                     |
|--|---------------------|
| USA - ACGIH - Occupational Exposure Limits |                     |
| ACGIH OEL C                                | 2 mg/m <sup>3</sup> |
| USA - OSHA - Occupational Exposure Limits  |                     |
| OSHA PEL TWA                               | 2 mg/m <sup>3</sup> |

### 8.2. Appropriate engineering controls

|                                  |   |
|----------------------------------|---|
| Appropriate engineering controls | : Ensure good ventilation of the work station. Provide readily accessible eye wash stations and safety showers. |
| Environmental exposure controls  | : Avoid release to the environment.   |

### 8.3. Individual protection measures, such as personal protective equipment (PPE)

|  |
|--|
| <b>Hand protection:</b>  |
| Wear suitable gloves resistant to chemical penetration. Consult glove manufacturer's product information on material suitability and material thickness. |

|                          |
|--------------------------|
| <b>Eye protection:</b>   |
| Wear eye/face protection |

|                                   |
|-----------------------------------|
| <b>Skin and body protection:</b>  |
| Wear suitable protective clothing |

|   |
|---|
| <b>Respiratory protection:</b>  |
| In case of insufficient ventilation, wear suitable respiratory equipment. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. SDSs cannot provide detailed and complete respiratory protection guidelines. Selection of respiratory protection must be done by a qualified person who has assessed the work environment. |

#### Other information:

Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product.

## SECTION 9 Physical and chemical properties

### 9.1. Basic physical and chemical properties

|  |                      |
|--|----------------------|
| Physical state                             | : Liquid             |
| Appearance                                 | : No data available. |
| Colour                                     | : Grey               |
| Odour                                      | : Odourless          |
| Odour threshold                            | : No data available  |
| pH   | : No data available  |
| Relative evaporation rate (butylacetate=1) | : No data available  |
| Relative evaporation rate (ether=1)        | : No data available  |
| Melting point                              | : No data available  |
| Freezing point                             | : No data available  |
| Boiling point                              | : No data available  |
| Flash point                                | : Not applicable     |
| Auto-ignition temperature                  | : No data available  |
| Decomposition temperature                  | : No data available  |
| Flammability (solid, gas)                  | : Non flammable.     |
| Vapour pressure                            | : No data available  |

# All Weather Seal

## Safety Data Sheet

According to the Hazardous Products Regulations (HPR) WHMIS 2022

|                                       |  |
|---------------------------------------|--|
| Relative vapour density at 20°C       | : No data available  |
| Relative density                      | : No data available  |
| Density                               | : 1.2 g/cm <sup>3</sup>  |
| Solubility                            | : Easily soluble in the following materials: cold water and hot water. |
| Partition coefficient n-octanol/water | : No data available  |
| Viscosity, kinematic                  | : No data available  |
| Explosive limits                      | : No data available  |
| Particle characteristics              | : No data available  |

| Sodium aluminate (NaAlO <sub>2</sub> ) (1302-42-7) |                   |
|--|-------------------|
| Boiling point                                      | 119 °C            |
| Vapour pressure                                    | 17 hPa (at 24 °C) |
| Particle characteristics                           | No data available |

| Ethylene glycol (107-21-1) |                        |
|----------------------------|------------------------|
| Boiling point              | 197.3 °C (at 1013 hPa) |
| Flash point                | 115 °C (open cup)      |
| Auto-ignition temperature  | 398 °C                 |
| Vapour pressure            | 0.1 hPa (at 20 °C)     |
| Particle characteristics   | No data available      |

| Sodium hydroxide (1310-73-2) |                   |
|------------------------------|-------------------|
| Boiling point                | 1390 °C           |
| Vapour pressure              | 0 hPa (at 20 °C)  |
| Particle characteristics     | No data available |

### 9.2. Data relevant with regard to physical hazard classes (supplemental)

VOC content : 10 % (w/w)

## SECTION 10 Stability and reactivity

|                                    |   |
|------------------------------------|---|
| Reactivity                         | : No dangerous reactions known under normal conditions of use.                                      |
| Chemical stability                 | : Stable under normal conditions.   |
| Possibility of hazardous reactions | : No dangerous reactions known under normal conditions of use.                                      |
| Conditions to avoid                | : Direct sunlight. Extremely high or low temperatures. Incompatible materials. Heat.                |
| Incompatible materials             | : Oxidizing materials. Strong acids. Strong bases.  |
| Hazardous decomposition products   | : May include, and are not limited to: oxides of carbon. Metal oxides. Toxic fumes may be released. |
| Hardening time:                    | : No additional information available   |

## SECTION 11 Toxicological information

### 11.1. Likely routes of exposure

|                             |                   |
|-----------------------------|-------------------|
| Acute toxicity (oral)       | : Not classified. |
| Acute toxicity (dermal)     | : Not classified. |
| Acute toxicity (inhalation) | : Not classified. |

# All Weather Seal

## Safety Data Sheet

According to the Hazardous Products Regulations (HPR) WHMIS 2022

| <b>Borax (B<sub>4</sub>Na<sub>2</sub>O<sub>7</sub>·10H<sub>2</sub>O) (1303-96-4)</b> |  |
|--|--|
| LD50 oral rat  | 3493 mg/kg (Source: NZ_CCID)   |
| LD50 oral  | 4450 mg/kg   |
| LD50 dermal rabbit   | > 10000 mg/kg (Source: JAPAN_GHS)  |
| LC50 inhalation rat  | > 2 mg/m <sup>3</sup> (Exposure time: 4 h Source: NLM_HSDB)  |
| ATE CA (oral)  | 3493 mg/kg bodyweight  |
| <b>Ethylene glycol (107-21-1)</b>  |  |
| LD50 oral rat  | 4700 mg/kg (Source: NLM_CIP)   |
| LD50 oral  | 6140 mg/kg   |
| LD50 dermal rat  | 10600 mg/kg (Source: JAPAN_GHS)  |
| LD50 dermal  | 9530 mg/kg   |
| LC50 inhalation rat  | > 2.5 mg/l (Exposure time: 6 h Source: ECHA_API)   |
| ATE CA (oral)  | 500 mg/kg bodyweight   |
| ATE CA (Dermal)  | 9530 mg/kg bodyweight  |
| <b>Sodium hydroxide (1310-73-2)</b>  |  |
| LD50 oral rat  | 325 mg/kg (Source: OECD_SIDS)  |
| LD50 dermal rabbit   | 1350 mg/kg (Source: NLM_HSDB)  |
| ATE CA (oral)  | 325 mg/kg bodyweight   |
| ATE CA (Dermal)  | 1350 mg/kg bodyweight  |
| Skin corrosion/irritation  | : Causes severe skin burns.  |
| <b>Sodium hydroxide (1310-73-2)</b>  |  |
| pH   | 12 (conc: 0.05 % (solution))   |
| Serious eye damage/irritation  | : Causes serious eye damage.   |
| <b>Sodium hydroxide (1310-73-2)</b>  |  |
| pH   | 12 (conc: 0.05 % (solution))   |
| Respiratory or skin sensitization  | : Not classified.  |
| Germ cell mutagenicity   | : Not classified.  |
| Carcinogenicity  | : Not classified.  |
| <b>Ethylene glycol (107-21-1)</b>  |  |
| NOAEL (chronic, oral, animal/male, 2 years)  | 1500 mg/kg bodyweight Animal: mouse, Animal sex: male, Remarks on results: other:Effect type: carcinogenicity (migrated information) |
| Reproductive toxicity  | : May damage fertility or the unborn child.  |
| STOT-single exposure   | : Causes damage to organs.   |
| <b>Borax (B<sub>4</sub>Na<sub>2</sub>O<sub>7</sub>·10H<sub>2</sub>O) (1303-96-4)</b> |  |
| STOT-single exposure   | May cause respiratory irritation.  |
| <b>Ethylene glycol (107-21-1)</b>  |  |
| STOT-single exposure   | Causes damage to organs. May cause respiratory irritation.   |
| <b>Sodium hydroxide (1310-73-2)</b>  |  |
| STOT-single exposure   | May cause respiratory irritation.  |

# All Weather Seal

## Safety Data Sheet

According to the Hazardous Products Regulations (HPR) WHMIS 2022

STOT-repeated exposure : Not classified.  
Aspiration hazard : Not classified.

| <b>Ethylene glycol (107-21-1)</b>   |   |
|-------------------------------------|---|
| Viscosity, kinematic                | 14.465 mm <sup>2</sup> /s   |
| Symptoms/effects                    | : Causes damage to organs.  |
| Symptoms/effects after inhalation   | : Causes severe damage to the respiratory tract.  |
| Symptoms/effects after skin contact | : Causes severe skin burns. Symptoms may include redness, pain, blisters.   |
| Symptoms/effects after eye contact  | : Causes serious eye damage. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva. May cause burns.                    |
| Symptoms/effects after ingestion    | : May be harmful if swallowed. May cause gastrointestinal irritation, nausea, vomiting and diarrhea. May cause burns or irritation of the linings of the mouth, throat, and gastrointestinal tract. |
| Chronic symptoms                    | : May damage fertility or the unborn child.   |
| Other information                   | : Likely routes of exposure: ingestion, inhalation, skin and eye.   |

## SECTION 12 Ecological information

### 12.1. Toxicity

Ecology - general : May cause long-term adverse effects in the aquatic environment.  
Hazardous to the aquatic environment, short-term (acute) : Not classified.  
Hazardous to the aquatic environment, long-term (chronic) : Not classified.

| <b>Borax (B<sub>4</sub>Na<sub>2</sub>O<sub>7</sub>·10H<sub>2</sub>O) (1303-96-4)</b> |   |
|--|---|
| LC50 - Fish [1]  | 501 mg/l  |
| <b>Ethylene glycol (107-21-1)</b>  |   |
| LC50 - Fish [1]  | 41000 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss Source: IUCLID)  |
| LC50 - Fish [2]  | 14 – 18 ml/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static] Source: EPA)  |
| EC50 - Crustacea [1]   | 46300 mg/l (Exposure time: 48 h - Species: Daphnia magna)   |
| EC50 96h - Algae [1]   | 6500 – 13000 mg/l (Species: Pseudokirchneriella subcapitata)  |
| EC50 96h - Algae [2]   | 6500 – 13000 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum) |
| NOEC (chronic)   | ≥ 1000 mg/l Test organisms (species): Americamysis bahia (previous name: Mysidopsis bahia) Duration: '23 d'                                       |
| NOEC chronic crustacea   | 4.2 mg/l  |
| <b>Sodium hydroxide (1310-73-2)</b>  |   |
| LC50 - Fish [1]  | 45.4 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static] Source: IUCLID)  |
| EC50 - Crustacea [1]   | 40 mg/l   |

### 12.2. Persistence and degradability

| <b>All Weather Seal</b>  |                    |
|--|--------------------|
| Persistence and degradability  | Not established.   |
| <b>Borax (B<sub>4</sub>Na<sub>2</sub>O<sub>7</sub>·10H<sub>2</sub>O) (1303-96-4)</b> |                    |
| Persistence and degradability  | Rapidly degradable |

# All Weather Seal

## Safety Data Sheet

According to the Hazardous Products Regulations (HPR) WHMIS 2022

| Sodium aluminate (NaAlO <sub>2</sub> ) (1302-42-7) |                    |
|--|--------------------|
| Persistence and degradability                      | Rapidly degradable |
| Ethylene glycol (107-21-1)                         |                    |
| Persistence and degradability                      | Rapidly degradable |
| Sodium hydroxide (1310-73-2)                       |                    |
| Persistence and degradability                      | Rapidly degradable |

### 12.3. Bioaccumulative potential

| All Weather Seal                      |                  |
|---------------------------------------|------------------|
| Bioaccumulative potential             | Not established. |
| Ethylene glycol (107-21-1)            |                  |
| Partition coefficient n-octanol/water | -1.36            |

### 12.4. Mobility in soil

No additional information available

### 12.5. Other adverse effects

|                              |   |
|------------------------------|---|
| Ozone                        | : Not classified.   |
| Other information            | : Avoid release to the environment. No other effects known. |
| Fluorinated greenhouse gases | : No  |

## SECTION 13 Disposal considerations

|  |   |
|--|---|
| Product/Packaging disposal recommendations | : Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. The generation of waste should be avoided or minimised wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. |
|--|---|

## SECTION 14 Transport information

In accordance with TDG

### 14.1. UN Number

Not regulated for transport

### 14.2. UN Proper Shipping Name

Proper Shipping Name (TDG) : Not regulated

### 14.3. Transport hazard class(es)

**TDG**  
Transport hazard class(es) (TDG) : Not regulated

### 14.4. Packing group, if applicable

Packing group (TDG) : Not regulated

# All Weather Seal

## Safety Data Sheet

According to the Hazardous Products Regulations (HPR) WHMIS 2022

### 14.5. Environmental hazards

Other information : No supplementary information available.

### 14.6. Special precautions for user

#### TDG

Not regulated

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78<sup>9</sup> and the IBC Code<sup>10</sup>

Not applicable

## SECTION 15 Regulatory information

All components of this product are listed, or excluded from listing, on the Canadian DSL (Domestic Substances List) and NDSL (Non-Domestic Substances List) inventories.

## SECTION 16 Other Information

Issue date : 09-04-2018

Revision date : 02-20-2025

Other information : None.

Prepared by : Nexreg Compliance Inc.

[www.Nexreg.com](http://www.Nexreg.com)



### Full text of hazard classes and H-statements:

|      |  |
|------|--|
| H314 | Causes severe skin burns and eye damage  |
| H318 | Causes serious eye damage                |
| H360 | May damage fertility or the unborn child |
| H370 | Causes damage to organs.                 |

### Indication of changes:

| Section    | Changed item | Comments | Version |
|------------|--------------|----------|---------|
| SDS update | SDS update   | Modified | V2.0    |

Safety Data Sheet (SDS), Canada - Nexreg 2025

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.